



WE MAKE YOUR VAN WORK SMARTER

Iveco

Daily



www.modul-system.com

Daily L2 H1/H2 2014–



↔
2997 mm

↗
324 mm

↑
1296 mm

Kg
59.9 kg

Daily L2 H1/H2
20100230



↔
1512 mm

↗
486 mm

↑
1404 mm

Kg
68.9 kg

Daily L2 H1/H2
20100218




↔
2797 mm

↗
324 mm

↑
1350 mm

Kg
82.7 kg

Daily L2 H1/H2
20100232




↔
1674 mm

↗
324 mm

↑
1296 mm

Kg
52.1 kg

Daily L2 H1/H2
20100231




↔
2970 mm

↗
324 mm

↑
1350 mm

Kg
107.0 kg

Daily L2 H1/H2
20100234



Glöm inte Blixtljus i
takbågarna
19778-03

Daily L2 H1/H2

RR680127000 2
RR680137000 3



Daily L3 H2/H3 2014-



3159 mm

324 mm

1296 mm

61.7 kg

Daily L3 H2/H3
20100264



1809 mm

324 mm

1188 mm

51.5 kg

Daily L3 H2/H3
20100246



3159 mm

324 mm

1350 mm

85.9 kg

Daily L3 H2/H3
20100266



1998 mm

486 mm

1404 mm

98.7 kg

Daily L3 H2/H3
20100287



3132 mm

324 mm

1350 mm

102.9 kg

Daily L3 H2/H3
20100268



19778-03

Daily L3 H2/H3

RR680225000	2	
RR680235000	3	



Accessories




Grab handle
Part No: 50014-03



Load stop
Part No: 50250-03




Kit tool holders
Part No: 10848 (15 pcs)
Part No: 10849 (30 pcs)
Part No: 10850 (50 pcs)



Mobil-Box
Part No: 10566, width 486 mm (low)
Part No: 10563, width 486 mm (high)



Storage holder for Mobil-Box
Part No: 50230-03



Lashing eyelet
Part No: 50025-03



Ambient light
Part. No: 19701-03 - 324 mm
Part. No: 19702-03 - 648 mm



Lashing with narrow strap, 2.0 m (2 pcs)
Part No: 11722



Lashing with ratchet, 4.5 m
Part No: 11716



Modul-Box 324 x 324 mm, Part No: 10487-03
Divider, width 324 mm, Part No: 10488-03
Window, width 324 mm, Part No: 10489-03
Handle, width 324 mm, Part No: 10490-03



Modul-Box 162 x 324 mm, Part No: 10480-03
Modul-Box 162 x 486 mm, Part No: 10481-03
Divider, Width 162 mm, Part No: 10482-03
Window, Width 162 mm, Part No: 10483-03



Insert for drawers
For 108 mm high drawer, Part No: 10530-03*
For 108 mm high drawer, Part No: 10533-03**
For 162/216 mm high drawer, Part No: 10535-03***
*162 mm length, 324 mm depth, **324 mm length, 486 mm depth,
***324 mm length, 324 mm depth.




A safe choice

Our racking solutions are produced in our own factory in Sweden. The products are produced using some of the most advanced production technologies in Europe and the manufacturing processes meet ISO 9001 certification and also comply with the European TÜV standard.

Safety and quality are of paramount importance to Modul-System. We invest a lot of time and energy into the development of innovative, new products and then carry out stringent tests to make sure that the end product is of the highest quality possible. This includes laboratory, load capacity and vibration tests - simulating real use (3D) along with durability tests to replicate the complete product life cycle, ensuring that the products are designed to cope with the harsh environment that the vehicle and conversion can sometimes be subjected to.

Comprehensive crash testing is carried out at specialist research facilities as part of Modul-System's commitment to safety. The tests are known as ECE R17-07 with a 20g pulse for 30ms. This test is identical in all major respects to the DIN 75410-2 test, which is the equivalent to a crash at a speed of approximately 50 km/h.



MODUL-SYSTEM HH AB

Alfagatan 3
431 49 Mölndal
Sweden

www.modul-system.com | info@modul-system.com

About Modul-System

Modul-System is one of the leading providers of van racking and equipment for commercial vehicles. With a commitment to innovation and quality, Modul-System offers a wide range of products designed to improve the efficiency and productivity of mobile workforces.